ACTA RADIOLOGICA

FOUNDED IN 1921 BY GÖSTA FORSSELL

PUBLISHED BY THE SOCIETIES OF MEDICAL RADIOLOGY IN DENMARK, FINLAND, ICELAND, NORWAY AND SWEDEN

CHIEF EDITOR
ERIK BOIJSEN, LUND

EDITORS
MARTTI KORMANO, TURKU
THORKILD MYGIND, COPENHAGEN
ARNULF SKJENNALD, OSLO

ASSOCIATE EDITORS

PETER B. DEAN, TURKU
SVEN DORPH, COPENHAGEN
PAUL EDHOLM, LINKÖPING
SVEN EKHOLM, GOTHENBURG
UNO ERIKSON, UPPSALA
C.-G. STANDERTSKJÖLD-NORDENSTAM, HELSINKI
ALF KOLBENSTVEDT, OSLO
FRODE LÆRUM, OSLO
BENT MADSEN, AARHUS
HOLGER PETTERSSON, LUND

INDICES

Volume 31 (1990)

CONTENTS OF VOLUME 31 (1990)

Editorial
E. Boijsen 1
Percutaneous transluminal laser angioplasty – Progress over the past two years
X. M. Yang, H. Manninen and S. Soimakallio . 3
Embolization of cerebral arteriovenous malformations with bucrylate – Experience in a first series of 29 patients
B. Berthelsen, J. Löfgren and P. Svendsen 13
CT morphology of benign median nerve tumors – Report of three cases and a review
T. Feyerabend, R. Schmitt, U. Lanz and M. Warmuth-Metz 23
High solution computed tomography of auditory ossicles
M. Isono, K. Murata, F. Ohta, A. Yoshida and O. Ishida 27
The cochlea and the carotid canal
C. Muren, K. Wadin and H. F. Wilbrand 33
Vertebral body trabecular density at the thoracolumbar junction using quantitative computed tomography – A post-mortem study
K. P. Singer and P. D. Breidahl 37
Pericardial effusion and pericardial compartments after open heart surgery – An analysis by computed tomography and echocardiography
O. Duvernoy, S. G. Larsson, K. Persson, J. Thurén and G. Wikström 41
Accuracy of digital radiography using stimulable phosphor for diagnosis of pneumothorax
M. Kehler, U. Albrechtsson, A. Andrésdóttir, H. Lárusdótter and A. Lundin 47
Dynamic imaging of pulmonary ventilation in children using digital subtraction radiography
E. J. Svedström, A. Kiuru and H. J. Puhakka . . 53
Magnetic resonance imaging of thoracic hydatid disease – Correlation with clinical findings, radiography, ultrasonography, CT and pathology
W. N. von Sinner, A. Rifai, L. te Strake and J. Sieck 59
MR imaging of the liver before and after transcatheter hepatic chemo-embolization for hepatocellular carcinoma
H. Yoshioka, K. Nakagawa, H. Shindou, Y. Ono, A. Kawakami, N. Maburchi, S. Arita, K. Fujii, T. Hamada, O. Ishida, K. Miyakoshi and T. Uto 63
Fine-needle aspiration biopsy of liver hemangioma
M. Taavitsainen, T. Airaksinen, J. Kreula and M. Päivänsalo 69
Renal aneurysm and arteriovenous fistula – Management with transcatheter embolization
S. Savastano, G. P. Feltrin, D. Miotto and M. Chiesura-Corona 73
Cine-computed tomographic assessment of regional renal blood flow
W. Jaschke, R. S. Sievers, M. J. Lipton and M. G. Cogan 77
Diuresis renography – A simultaneous comparison between ^{131}I-hippuran and $^{99}Tc^{m}$-MAG_3
K. Hvid-Jacobsen, H. S. Thomsen and S. L. Nielsen 83
Renal effects of the non-ionic contrast medium iopentol after intravenous injection in healthy volunteers
J. Å. Jakobsen, K. J. Berg, A. Waaler and E. Andrew 87
Adriamycin nephrosis and contrast media – A comparison between diatrizoate and iohexol in rats
H. S. Thomsen, K. Golman, L. Hemmingsen, S. Larsen and P. Skaarup 93
Effect of sodium addition to non-ionic contrast media on cardiac contractile force – Perfusion of the isolated rabbit heart with iohexol and iopentol containing 0 to 154 mmol Na^+/l added as NaCl
L. Bååth, T. Almén and A. Öksendal 99
Computed tomography in agenesis of the right lobe of the liver
A. Demirci, H. B. Diren and M. B. Selcuk 105
Intra-arterial DSA and duplex-Doppler ultrasonography in detection of vascularized inguinal lymph nodes
L. Björk and H. Levén 106
Ink jet print of digital radiographs
T. Johansson, J. Nilsson, N.-G. Holmer and C. H. Hertz 108
Computed tomography of the scaphoid in the longitudinal axis of the bone
C. Muren, E. Nygren and G. Svartengren 110
Multicystic acoustic neuroma
G. Shankar Prakash 112
Roentgen stereophotogrammetric analysis
G. Selvik 113
Radiologic abnormalities of the thoraco-lumbar spine in athletes
M. Hellström, B. Jacobsson, L. Swärd and L. Peterson 127
Influence of pelvic position on radiographic measurements of the prosthetic acetabular component – An experimental study on a pelvic model
B. Thorén and B. Sahlstedt 133
Axial and appendicular bone mineral content deter-

mined by computed tomography – Relationship to age and body size in males
A. Høiseth, P. K. Hol, G.-E. A. Bjørneboe and A. Alho 137
Bone marrow scintigraphy in Paget's disease of bone
U. Rudberg, S.-O. Ahlbäck and R. Udén 141
Luxation of the elbow complicated by proximal radioulnar translocation
O. Eklöf, T. Nybonde and G. Karlsson 145
Ultrasonography of jumper's knee
T. Myllymäki, S. Bondestam, I. Suramo, A. Cederberg and P. Peltokallio 147
Graded stress radiography in acute injury to the lateral ligaments of the ankle
M. Rijke and P. A. Vierhout 151
Ultrasonically guided percutaneous drainage of breast abscesses
S. Karstrup, C. Nolsøe, K. Brabrand and K. R. Nielsen 157
Comparison of non-enhanced, bolus enhanced, and delayed scanning techniques in computed tomography of hepatic tumours
G. Tidebrant, M. Asztely, P. Lukes and U. Tylén 161
Computed tomographic arteriography of the liver using balloon occlusion
T. Hosoki, T. Marukawa, S. Hori, K. Tokunaga, C. Kuroda and T. Kozuka 167
Preoperative localization of endocrine pancreatic tumours by intra-arterial dynamic computed tomography
H. Ahlström, A. Magnusson, D. Grama, B. Eriksson, K. Öberg and L.-E. Lörelius 171
Percutaneous puncture and drainage of pancreatic pseudocysts – A retrospective study
Y. Aurell, L. Forsberg, E. Hederström and R. Andersson 177
In vivo ^{1}H spectroscopy of the human brain at 1.5 tesla – Preliminary experience at a clinical installation
O. Henriksen, H. Larsson and K. M. Jensen ... 181
Magnetic resonance imaging of malignant extradural tumors with acute spinal cord compression
H. H. Lien, V. Blomlie and K. Heimdal 187
Magnetic resonance imaging compared with computed tomography and angiography in moyamoya disease
K. Hasuo, K. Yasumori, K. Yoshida, R. Hirakata, T. Kuroiwa, A. Mizushima, T. Matsushima, M. Fukui and K. Masuda 191
External carotid artery embolization of dural arteriovenous malformations involving the cavernous sinus – Outcome and role of venous thrombosis
N. Hirabuki, M. Mitomo, T. Miura, T. Hashimoto, R. Kawai and T. Kozuka 197
Blood-brain barrier injury following intracarotid injection of radiographic contrast media – In vivo quantification using magnetic resonance imaging and Gd-DTPA
K. Hayakawa, K. Yamashita, M. Mitsumori and Y. Nakano 203
Local glucose utilization changes caused by subarachnoid contrast media in the rabbit
S. E. Ekholm, T. W. Morris, L. Prentice and J. H. Simon 209
Signal alterations, artifacts and image distortion induced by a superparamagnetic contrast medium – A phantom study in a 0.3 tesla MR system
S. Holtås, N. O. Wallengren, A. Ericsson and T. Bach-Gansmo 213
Blood clot formation in angiographic catheters
R. Raininko and M. Riihelä 217
Iopentol compared with iohexol in carotid angiography
P. H. Nakstad, I. O. Skalpe, S. J. Bakke, N. O. Aanonsen and T. Ganes 221
Balloon dilatation of the ampulla of Vater – An experimental study in the rabbit
V. Riesenfeld, I. Hägerstrand and A. Lunderquist 222
Breast cancer screening in women over age 50 – A critical appraisal
P. H. M. Peeters, A. L. M. Verbeek, G. A. Zielhuis, G. P. Vooijs, J. H. C. L. Hendriks and M. Mravunac 225
Gadolinium-DTPA enhancement of soft tissue tumors in magnetic resonance imaging
K. Herrlin, L. Bi Ling, H. Pettersson, H. Willén and A. Rydholm 233
Coronary angiography and thallium-201 single photon emission computed tomography in single vessel coronary artery disease
B. Svane, D. Bone and A. Holmgren 237
Increased rate of left predominance associated with adult valvular aortic stenosis
B. Thorvinger, A. Lundin and U. Albrechtsson 245
Changes in atheroma volume estimated from digitized femoral arteriograms
S. Nilsson and U. Erikson 249
Phlebographic findings in venous thrombosis following total hip replacement
P. Kälebo, B.-A. Anthmyr, B. I. Eriksson and B. E. Zachrisson 259
Contrast enhancement of liver parenchyma and biliary tract related to liver function at delayed computed tomography
G. Tidebrant, P. Lukes and U. Tylén 265
Prognostic factors in liver metastases after transcatheter arterial embolization or arterial infusion
Y. Yamashita, M. Takahashi, Y. Koga, R. Saito, S. Nanakawa, Y. Hatanaka, N. Sato, K. Nakashima, J. Urata, K. Yoshizumi, K. Ito and S. Sumi 269
Ultrasonically guided percutaneous treatment of liver abscesses
N. Juul, F. J. S. Sztuk, S. Torp-Pedersen and F.

BURCHARTH 275
Duplex Doppler ultrasonography for monitoring liver transplants
K. KUBOTA, H. BILLING, B.-G. ERICZON, U. KELTER and C. G. GROTH 279
Entrapped ovarian cyst – An unusual case of persistent abdominal pain
E. HEDERSTRÖM and L. FORSBERG 285
Diagnostic cyst puncture of multicystic kidney in neonates
C. M. KULLENDORFF, E. C. SALMONSON and S. LAURIN 287
The role of bone scintigraphy in predicting femoral head collapse following cervical fractures in children
W. MORTENSSON, M. ROSENBORG and H. GRETZER 291
Neonatal systemic candidiasis diagnosed by ultrasound
K. T. TUNG, L. M. MCDONALD and J. C. SMITH . . 293
Systemic, pulmonary and renal haemodynamic effects of large intravenous doses of high and low osmolar contrast media – An investigation in the pig of ratio 1.5 and ratio 3 media
O. SUNNEGÅRDH, S.-O. HIETALA, S. WIRELL, S. REIZ and S. HÄGGMARK 297
Oral superparamagnetic particles for magnetic resonance imaging – Effect in plain and viscous aqueous suspensions
M. LÖNNEMARK, A. HEMMINGSSON, A. ERICSSON, H. G. GUNDERSEN and T. BACH-GANSMO 303
Prevention and dispersion of contrast media induced red cell aggregates – An in vitro study
R. RAININKO and S.-L. YLINEN 309
The significance of 'no significant difference'
J. BRISMAR and B. JACOBSSON 315
Method for digitizing radiographic images
O. KORHOLA 319
Chest radiography in the intensive care unit
M. GEIJER, C. JENSEN and D. SCHLOSSMAN 321
Coronary angiography and thallium-201 single photon emission computed tomography in multiple vessel coronary artery disease
B. SVANE, D. BONE and A. HOLMGREN 325
Arterial segmental vasoconstriction in hypercholesterolaemic patients
S. NILSSON, I. BERGLUND, A. CHRISTOFFERSSON, U. ERIKSON, N. HÖGMAN, J. JOHANSSON, L. E. LÖRELIUS, R. G. ROBERTS and G. WALLDIUS 333
Ultrasonography and Doppler Duplex compared with angiography in follow-up of mesocaval shunt patency
E. HEDERSTRÖM, L. FORSBERG, K. IVANCEV, C. LUNDSTEDT and H. STRIDBECK 341
Treatment of hepatocellular carcinoma by segmental hepatic artery injection of adriamycin-in-oil emulsion with overflow to segmental portal veins
H. NAKAMURA, T. HASHIMOTO, H. OI, S. SAWADA, S. FURUI, S. MIZUMOTO and M. MONDEN 347
Diagnosis and percutaneous treatment of pyogenic hepatic abscesses
P. HOCHBERGS, L. FORSBERG, E. HEDERSTRÖM and R. ANDERSSON 351
Double contrast small bowel enema in a case of selective duodeno-jejunal amyloidosis
G. COZZI, B. BALLARDINI, R. COLOMBI, M. BELLOMI, L. F. FRIGERIO and A. SEVERINI 355
CT demonstration of fistulae in patients with gynecologic neoplasms
B. THORVINGER, G. HORVATH and L. SAMUELSSON 357
Magnetic resonance imaging of the bone marrow in patients with acute leukemia during and after chemotherapy – Changes in T1 relaxation
K. E. JENSEN, P. GRUNDTVIG SØRENSEN, C. THOMSEN, P. CHRISTOFFERSEN, O. HENRIKSEN and H. KARLE . 361
Quantitative evaluation of hyaline cartilage disorders using FLASH sequence – I – Method and animal experiments
H. KÖNIG, K. AICHER, U. KLOSE and J. SAAL 371
Quantitative evaluation of hyaline cartilage disorders using FLASH sequence – II – Clinical applications
H. KÖNIG, K. AICHER, U. KLOSE and J. SAAL 377
Osseous temporomandibular joint abnormalities in rheumatic disease – Computed tomography versus hypocycloidal tomography
T. A. LARHEIM and A. KOLBENSTVEDT 383
Pelvic inclination and spatial orientation of the acetabulum – A radiographic, computed tomographic and clinical investigation
S. ANDA, S. SVENNINGSEN, T. GRØNTVEDT and P. BENUM 389
Systemic, pulmonary and renal haemodynamic effects of intravenously infused iopentol – A comparison in the pig of a new low osmolar non-ionic medium with saline and iohexol
O. SUNNEGÅRDH, S.-O. HIETALA, S. WIRELL and L. EKELUND 395
Gentamicin nephropathy and contrast media – A comparison between diatrizoate and iohexol in rats
H. S. THOMSEN, P. SKAARUP, S. LARSEN, K. GOLMAN and L. HEMMINGSEN 401
Superparamagnetic particles as gastrointestinal contrast agent in magnetic resonance imaging of lower abdomen
P. NIEMI, K. KATEVUO, M. KORMANO, I. BAKSAAS, T. BACH-GANSMO and J. MÄENPÄÄ 409
Ultrasound guided needle biopsy of skeletal muscle in neuromuscular disease
S. LINDEQUIST, C. LARSEN and H. DAA SCHRØDER 411
Ink jet color printing of digital medical images
J. NILSSON, T. JOHANSSON, N.-G. HOLMER and C. H. HERTZ 414
Delineation of gliomas with magentic resonance imaging using Gd-DTPA in comparison with computed

tomography and positron emission tomography
M. Tovi, A. Lilja, M. Bergström, A. Ericsson, K. Bergström and M. Hartman 417
Mass effect and atrophy after stroke
E. Bech Skriver, T. Skyhøj Olsen and P. McNair 431
Anatomic variations of the cochlea and relations to other temporal bone structures
P. Dimopoulos and C. Muren 439
Prolonged T1 relaxation of the hemopoietic bone marrow in patients with chronic leukemia
K. E. Jensen, P. G. Sørensen, C. Thomsen, P. Christoffersen, O. Henriksen and H. Karle 445
Isthmic lumbar spondylolisthesis with sciatica. MR imaging vs myelography
M. Annertz, S. Holtås, S. Cronqvist, B. Jönsson and B. Strömqvist 449
MR imaging of experimental intramuscular hemorrhage at 0.02. Contrast enhancement with Gd-DOTA
P. Niemi, H. Paajanen, M. Kormano, A. Alanen, H. Määttänen and P. B. Dean 455
Radiography of the wrist. A new device for standardized radiographs
C. Falck Larsen, B. Stigsby, F. K. Mathiesen and S. Lindequist 459
Thallium-201 single photon emission computed tomography in patients with symptoms of heart disease and non-significant coronary artery lesions
B. Svane and D. Bone 467
Assessment of congestive heart failure in chest radiographs. Observer performance with two common film-screen systems
L. Henriksson, A. Sundin, Ö. Smedby and P. Albrektsson 469
Deep vein thrombosis of lower extremities. Diagnosis by real time ultrasonography
T. E. Gudmundsen, B. Vinje and T. Pedersen ... 473
Ultrasonography and computed tomography in diffuse liver disease with cholestasis
K. Partanen, P. Pikkarainen, P. Pasanen, E. Alhava and S. Soimakallio 477
Morphologic changes in the body of the pancreas secondary to a mass in the pancreatic head. Analysis by CT
T. Muranaka 483
The cleansing enema: How many for a good quality double-contrast enema?
J. A. Pietilä, J. Kinnunen and H. Lindén 489
Variations in gastrointestinal melanoma metastases
B. Plasvsic and A. E. Robinson 493
CT diagnosis of gall stone ileus
G. L. S. Leen and M. Finlay 497
Magnetic resonance imaging of the transplanted kidney. Correlation to function and histopathology
S. Jennerholm, U. Backman, S.-O. Bohman, A. Hemmingsson and R. Nyman 499
Renal osteodystrophy. Radiological diagnosis compared with a new radioimmunoassay method of parathyroid hormone
S. Trattnig, P. Hübsch, O. Traindl, F. Kainberger, B. Schwaighofer and W. Wolszczuk 505
Contrast media and pain in patients with acute ureteral stone obstruction
Å. Billström, S.-O. Hietala, O. Sunnegårdh, J.-G. Sjödin and S. Wirell 509
Systemic pulmonary and renal hemodynamic and renal morphologic effects of intravenously infused iodixanol. A study in the pig, of a new iso-osmolar contrast medium
O. Sunnegårdh, S.-O. Hietala and E. Holtz ... 513
Oxygen saturation of the low osmolar contrast media iohexol, ioxaglate and iodixanol. Effects on contractile force and frequency of venticular fibrillation in the isolated rabbit heart
L. Bååth, T. Almén and A. Öksendal 519
Sodium addition and/or oxygen saturation of iohexol during normal and reduced perfusion pressure. Effects on contractile force and risk of ventricular fibrillation in the isolated rabbit heart
L. Bååth 525
Granulocyte chemotaxis. Influence of radiographic contrast media on the chemoattractive properties of serum
J. Georgsen, F. Rasmussen and J. O. Pedersen .. 531
Iopromide versus diatrizoate. A comparative study of adverse reactions
N. Skovgaard, E. R. Jensen and K. P. Jakobsen 537
Measurement of renal blood flow by ^{131}I-labelled sodium iodohippurate imaging in a rat model of herpes encephalitis
G. M. Cleator, P. E. Klapper, A. G. Lewis, H. L. Sharma and A. M. Smith 538
Niobium filters for dose reduction in pediatric radiology
L. Jangland and B. Axelsson 540
Is there a correlation between spin-lattice relaxation time and radiation sensitivity?
S. F. Akber 541
Blood as tracer for CSF circulation after subarachnoidal hemorrhage
T. Jedrzejczak, K. Ericson, G. Bergstrand, G. Edner and H. von Holst 545
SPECT bone scintigraphy in assessment of cranial Paget's disease
K. Brixen, H. H. Hansen, L. Mosekilde and H. Halaburt 549
Lumbar disc degeneration. Correlation between CT and CT/discography
O. Tervonen, S. Lähde and J. Rydberg 551
Size of lumbar disc hernias measured using computed tomography and related to sciatic symptoms

M. K. J. Fagerlund, U. Thelander and S. Friberg 555
Postoperative discitis. Radiology of progress and healing
V. A. H. Nielsen, E. Iversen and P. Ahlgren . . . 559
Soft-tissue radiography, computed tomography, and ultrasonography of partial Achilles tendon ruptures
P. Kälebo, L.-Å. Goksör, L. Swärd and L. Peterson 565
Deep vein thrombosis after total hip replacement. A venographic study
H. E. Høgevold, A. Høiseth and O. Reikerås . . 571
Aberrant right gastric vein directly communicating with left portal vein system. Incidence and implications
K. Takayasu, K. Aoki, T. Ichikawa, T. Ohmura, R. Sekiguchi, T. Terauchi and T. Takayama . . . 575
Computed tomography after modified Whipple procedure with pancreatic duct occlusion
A. Abildgaard, F. Kolmannskog, Ø. Mathisen and A. Bergan 579
Computed tomography of the urinary bladder shortly after radiation therapy for rectal carcinoma
E. M. Sager, S. D. Fosså, O. Kaalhus and K. M. Tveit 585
Computed tomography of cystic lymphangioma in a wandering spleen
M. Alerci and R. Dore 589
Gallbladder volume and contraction measured by sum-of-cylinders method compared with ellipsoid and area-length methods
M. F. J. Stolk, K. J. van Erpecum, G. P. van Berge Henegouwen, O. F. H. W. Kesselring and W. P. M. Hopman 591
Transrectal ultrasonography compared to histopathological assessment for local staging of prostatic carcinoma
A. Enlund, K. Pedersen, B. Boeryd and E. Varenhorst 597
Iohexol for contrast enhancement of bowel in pediatric abdominal CT
B. Smevik and J. Westvik 601
Immunology basis for adverse reactions to radiographic contrast media
V. Stejskal, R. Nilsson and A. Grepe 605
Low sodium diet, indomethacin, and contrast media. A comparison between renal effects of diatrizoate and iohexol in rats
H. S. Thomsen, L. Hemmingsen, K. Golman, P. Skaarup and S. Larsen 613
Magnetic resonance imaging of acute myocardial infarction in pigs using Gd-DTPA
M. Wikström, H. J. Martinussen, G. Wikström, A. Ericsson, R. Nyman, A. Waldenström and A. Hemmingsson 619
Transrectal ultrasound findings of prostate cancer mimicking primary rectal tumor
T. Lorentzen, S. Torp-Pedersen and C. Nolsøe 625
Femoral cortical/cancellous bone related to age
A. Høiseth, A. Alho and T. Husby 626
Computer independent sidemarker for CT scanners
M. Söderman 628
A computer-based system for measurements and analyses in radiology
U. Erasmie, H. Dalianis & H. Ringertz 629
An ultrasonic multipurpose/multiplane endoprobe
H. H. Holm, P. Myschetzky, L. Nielsen and C. Nolsøe 630
Adipose tissue volume determinations by computed tomography
H. Kvist 635
Magnetic resonance imaging of the cervical and thoracic spine and the spinal cord. A study using a 0.3 T vertical magnetic field
E-M. Larsson 635
Iodinated lipid emulsions for computed tomography of the liver. Experimental and clinical investigation of a new liver specific contrast agent
K. Ivancev 635
Some aspects of the radiographic evaluation of total hip replacements
B. Thorén 636
Contrast media and regional renal blood flow – A study of ionic and non-ionic mono- and dimeric contrast media in the rat
A. Nygren 636
Computer-assisted femoral arteriography in serial assessment of atherosclerosis. A methodological study
S. Nilsson 636
Effects on cardiac contractile force and risk of ventricular fibrillation from enriching contrast media for coronary angiography with sodium and oxygen. Perfusions of the isolated rabbit heart at normal and reduced pressure with special interest in the nonionic monomeric contrast media iohexol and iopentol
L. Bååth 637
Pancreatic morphology and function in pancreas divisum, primary sclerosing cholangitis and primary Sjögren's syndrome
E. Lindström 637
Diagnostic and interventional radiology in gynecologic neoplasms
B. Thorvinger 638
Percutaneous nephrolithotomy in radiology
K. Geterud 638
Polar presentation of coronary angiography and thallium-201 single photon emission computed tomography. Studies of patients examined for heart disease
B. Svane 638
Radiolabelled monoclonal antibodies. An experimen-

tal study in the nude rat heterotransplanted with malignant melanoma
C. INGVAR 639
Superparamagnetic particles as an oral contrast medium in abdominal magnetic resonance imaging
M. LÖNNEMARK 639
Imaging of lumbar disc herniation. Evaluation with computed tomography, low field magnetic resonance imaging and myelography
M. FAGERLUND 640